

Terms & Conditions

Please read these terms and conditions carefully. Note that if you are the winning bidder at an auction, amounts are payable in addition to the bid price (e.g. buyers premium, GST, credit card surcharges). Please consider the total price payable before bidding. Please also inspect items before bidding – lots are sold on an 'as is, where is' basis.

1. General

These Terms and Conditions apply to the Company's Auctions. Capitalised terms are defined in clause 15.1. The Company may amend these Terms and Conditions from time to time by making available an updated version of these Terms and Conditions at the Auction.

2. Auction process

2.1 The Auctioneer regulates the Auction

- (a) Subject to any reserve price under clause 2.2 and any right the Vendor has to bid, the highest Bidder shall be the Purchaser and in the event of any dispute arising in relation to this, the Auctioneer shall be the sole arbitrator and his decision shall be final.
- (b) Advances in the bidding shall be regulated by the Auctioneer. No Bidder may retract their bid once it has been taken.
- (c) The Auctioneer has the discretion to withdraw and/or reoffer a lot for sale at any time.
- (d) Without limiting clause 2.1(c), the Auctioneer may at any time withdraw and/or reoffer an item for sale at any time if the item:

- (i) becomes unavailable due to damage;
 - (ii) has uncertain ownership, or is withdrawn by the manufacturer, distributor or Vendor;
 - (iii) is no longer in stock;
 - (iv) has been erroneously listed twice; or
 - (v) is incorrectly described.
- (e) The Auctioneer may refuse to accept any bid which, in his reasonable opinion, is not in the best interests of the Vendor, and may exclude any person or persons whatsoever from the Auction at any time for any reason whatsoever, and particularly if he suspects they are engaging in collusive bidding practices.
- (f) The Purchaser shall be deemed to be the principal unless, prior to the sale, they had given to the Auctioneer a copy of a written authority to bid for or on behalf of another person.

2.2 Reserve price

The Vendor may nominate a minimum reserve sell price on an item. If the reserve price has not been met at the end of the Auction, the highest Bidder below the reserve price may be accepted by the Auctioneer.

2.3 Absentee bids

The Auctioneer may accept Absentee Bids. Any Absentee Bid submitted to the Auctioneer by a Bidder is a binding offer to purchase a lot at that price. Absentee Bids must be submitted on the Company's prescribed form and received by the Auctioneer by 9:00am on the day of sale.

2.4 Vendor may withdraw lot

The Bidder acknowledges and agrees that the Vendor has the right to withdraw a lot from sale at any time

before the Auctioneer accepts a bid for the lot at the Auction.

2.5 Conclusion of Auction

- (a) On the fall of the hammer, the Purchaser shall confirm their name and (if required) immediately pay twenty-five cents in the dollar in part payment of the purchase price, such payment to be applied to the lot so purchased or to the entire invoice of purchases by the Purchaser. The Purchaser shall complete the Company's 'Buyer's Bid Card'. In default of these conditions, the lot or lots so purchased may, at the Auctioneer's discretion, be immediately put up again and resold.
- (b) The Purchaser agrees that the Company may create an online account with the Company for the Purchaser and the Purchaser acknowledges that the Purchaser's personal information will be treated by the Company in accordance with the Company's Privacy Policy on the Site.

3. Payment, risk and title

- (a) On the fall of the hammer, each lot shall be at the PURCHASER'S RISK AND EXPENSE and shall be paid for within 48 hours (or within the time-frame agreed in writing with the Company prior to the Auction). Payment may be made by:
 - (i) credit card;
 - (ii) subject to clause 3(c), cash; or
 - (iii) if the amount to be paid is more than \$5,000, direct deposit to the Company's nominated bank account within 2

grays ecommercegrouP



working days of the Auction.

- (b) A surcharge of 2% applies to all payments made by American Express and Diners Club, and a surcharge of 1% applies to payments made by MasterCard and Visa.
- (c) The Company may refuse a cash payment if the Company reasonably suspects that the payment may directly or indirectly involve the proceeds of unlawful conduct.
- (d) In the event of delivery being made to or possession obtained by the Purchaser, his employees, agents or contractors, prior to payment in full of the purchase price plus any applicable additional charges, TITLE AND PROPERTY in the lot shall not pass to the Purchaser.
- (e) The winning Bidder must pay the Company the sale price and, as applicable, GST, any amount owed under clause 4 and any surcharge under clause 3(b).

4. Buyer's premium or flat rate per unit

- (a) The Purchaser agrees that the Company will charge the Purchaser either:
 - (i) a premium, being a percentage of the gross sale price to the Purchaser (exclusive of GST) (**Buyer's Premium**); or
 - (ii) a fixed fee, being a flat rate per unit (**Flat Rate Per Unit**),for services and facilities provided to the Purchaser by the Company.
- (b) The Buyer's Premium or Flat Rate Per Unit is payable in

grayscommercegroup

addition to and at the same time as the sale price and will form part of the total price paid by the Purchaser for the purchase of the lot.

- (c) The Company will notify the Purchaser of the percentage amount of the Buyer's Premium or the amount of the Flat Rate Per Unit before the Auction.

5. Goods and services tax

- (a) Prior to the Auction, the Company will advise Bidders, either orally or in writing, whether the sale price of a lot is inclusive of GST (**GST Inclusive**) or exclusive of GST (**GST Exclusive**). The Purchaser acknowledges and agrees that:
 - (i) if the sale price is GST Inclusive, the Buyer's Premium will be as a percentage of the sale price (exclusive of GST) and payable by the Purchaser to the Company at the same time as the sale price; and
 - (ii) if the sale price is GST Exclusive, GST will be calculated on and added to the sale price and the Buyer's Premium.
- (b) Where a Flat Rate Per Unit is payable:
 - (i) if the sale price is GST Inclusive, the Flat Rate Per Unit will be inclusive of GST; and
 - (ii) if the sale price is GST Exclusive, GST is payable on the Flat Rate Per Unit.

6. Inspection and collection of goods

6.1 Inspection of goods

If a Bidder visits any place where goods are stored to inspect or collect them, the Bidder must comply with:

- (a) any relevant laws regarding occupational health and safety;
- (b) any directions or warnings about the goods or their location; and
- (c) any directions given by the Company or the Company's representatives when inspecting or removing any goods from any location.

6.2 Collection of goods

- (a) The Company may specify particular requirements relating to the removal or collection of goods. The Company will make these particular requirements available to the Purchaser before the Auction, whether on the Site or elsewhere. The Purchaser must comply with any particular requirements relating to the removal or collection of goods specified by the Company.
- (b) No purchases may be removed until after the conclusion of the Auction. All purchases must be paid for and removed within two (2) days of the date of the Auction or as specified at the time of sale.
- (c) If the Purchaser does not remove the goods within 7 days of an Auction, the Company may charge the Purchaser reasonable storage fees.
- (d) If the Purchaser does not remove the goods within 14 days of an Auction, and after notice to the Purchaser:
 - (i) where the item was purchased for \$100 or

- more, the Company may sell the item on reasonable terms and refund the proceeds of sale to the Purchaser, less Buyer's Premium or Flat Rate Per Unit (as applicable), storage fees and an administration fee of \$40; and
- (ii) where the item was purchased for less than \$100, the Company may sell or otherwise dispose of the item, without refund to the Purchaser.

7. Consumer guarantees, warranties and returns

7.1 Consumer guarantees and warranties

- (a) Nothing in these Terms and Conditions affects, restricts or excludes any rights a Purchaser has under the Australian Consumer Law. The Purchaser acknowledges that there are a number of consumer guarantees in the Australian Consumer Law which do not apply to the sale of goods by auction that is conducted by an agent.
- (b) The Company is usually the agent of the Vendor and conducts the Auction. No condition or warranty either express or implied is given by the Company with any lot offered, when the Company is the agent of the Vendor, as all lots are open for inspection prior to the commencement of the sale. The Purchaser acknowledges that the lots are sold with all faults, if any and voluntarily accepts the risks associated with the purchase and use of any lot purchased.

Bidders should inspect lots before bidding. Lots are not sold by description. No sale shall be invalidated and no compensation shall be paid in respect of any fault or error of description of any lots sold.

- (c) In the rare circumstances where the Company is not the agent of the Vendor and sells goods at an Auction on its own behalf, a Purchaser who is a consumer under the Australian Consumer Law has certain statutory rights, including that the consumer may be entitled to a replacement or refund for a major failure of goods and compensation for any other reasonably foreseeable loss or damage.
- (d) If an item is described at the Auction as being faulty or in a damaged or used condition, the Purchaser acknowledges that condition when choosing to purchase that item. To the extent permitted under the Australian Consumer Law, the Company accepts no liability for the condition of such an item.
- (e) Subject to any rights a Purchaser has under any law, if an item is sold with an accompanying manufacturer's warranty, the Company cannot and does not take any responsibility for the content, fulfilment or enforcement of that manufacturer's warranty. The Purchaser has the responsibility to contact the relevant manufacturer in relation to the warranty.

7.2 Returns

Subject to any rights a Purchaser has under the Australian Consumer Law, where the Company is the agent of the

grays•ecommercegroup

graysonline
.com

graysasset
services

graysMINING
.com

Grays
wine
.com.au

Vendor, goods bought at an Auction may not be returned to the Company for any reason, including if the Purchaser:

- (f) has a change of mind; or
- (g) had, or did not have, the opportunity to inspect the goods before bidding.

8. Limitation of liability and indemnities

- (a) Any person attending the Auction site before, during and after the Auction does so at their own risk and should take care. It may be an industrial site. To the extent permitted by law, the Company is released and discharged from liability for any injury, damage or loss sustained by any person attending the Auction site.
- (b) Subject to this clause 8, the Purchaser accepts all risks and responsibility for losses, damages, personal injury and other consequences resulting directly or indirectly from the purchase of any lot. The Purchaser agrees to indemnify the Company against all expenses, losses, damages and costs that the Company may incur, directly out of or in connection with:
 - (i) any personal injury caused to any person as a result of the use of any lot purchased by the Purchaser at the Auction;
 - (ii) any damage caused as a result of the use of any lot purchased at an Auction; and
 - (iii) any negligence, breach of duty, breach of these Terms and Conditions or breach of statute by the Purchaser in

connection with the Auction.

- (c) The Purchaser is not liable for loss or damage to the extent that such loss or damage is caused by the Company's negligence, wilful misconduct, or breach of these Terms and Conditions.
- (d) The Company does not exclude any liability which cannot be excluded by law. To the fullest extent permissible by law, the Company expressly limits its liability for breach of any consumer guarantee in respect of the supply of goods or services which are not of a kind ordinarily acquired for personal, domestic or household use or consumption, at the Company's option:
 - (i) in the case of goods supplied, to: the replacement or repair of the goods; the supply of equivalent goods; or a refund; and
 - (ii) in the case of services supplied, to: supply of the services again; payment of the costs of having the services supplied again; or making a full refund.
- (e) To the extent permitted by law, the Purchaser agrees to waive any claim against the Company which arises out of the Auction, except to the extent that any such claim arises from the Company's fraud, negligence or wilful misconduct. The Purchaser further agrees to indemnify and hold the Company harmless from any claim or demand, including legal fees on a full indemnity basis, made by any third party

arising out of a breach of these Terms and Conditions by the Purchaser.

- (f) The Auctioneer regulates the bidding at the Auction. A Bidder has no cause of action against the Company or the Auctioneer if the Auctioneer exercises his or her discretion to reopen bidding on an item or refuses to exercise his or her discretion to do so.
- (g) In certain circumstances, an item for sale may include reference to the manufacturer's Recommended Retail Price (**RRP**) or original retail price (**ORP**). Usually if a RRP or ORP is mentioned with an item, the RRP or ORP has been supplied by the Vendor of the item. The Company accepts no responsibility for the accuracy of any RRP or ORP included on any item listed for Auction. The Purchaser must satisfy themselves as to the value of the item being sold.

9. Purchaser's obligations

9.1 Fraud

The Purchaser must not use a false name or buy goods or make bids with an invalid or stolen credit card. The Company may refer any fraudulent activity to the relevant law enforcement authorities.

9.2 Breach of Terms and Conditions

- (a) If the Purchaser:
 - (i) fails to comply with a material term of these Terms and Conditions; or
 - (ii) refuses to pay or otherwise fails to the purchase of an item (for example, if a credit card payment is declined due to insufficient funds),

grays•ecommercegroup

graysonline
com

graysasset
services

graysMINING
com

Grays
wine
com.au

the Company may, in its discretion and acting reasonably:

- (A) bring court action against the Purchaser for any outstanding amounts owed to the Company, including any Buyers Premium or Flat Rate Per Unit and all reasonable costs incurred by the Company as a result; and/or
 - (B) resell or attempt to resell the lot in any manner and upon such terms and conditions as the Company considers reasonable. In some circumstances, the Company may make a claim against the Purchaser for the losses incurred if the resale price is less than the amount owed by the Purchaser to the Company.
- (b) The Purchaser is liable for losses suffered and expenses incurred by the Vendor or the Company resulting from any resale, or attempted resale, under clause 9.2(a).
- (c) In addition to the rights of the Company under clause (a), if the Purchaser refuses to pay or

otherwise fails to complete the purchase of an item, the Company may, in its discretion and acting reasonably, charge the Purchaser (whichever is the greater):

- (i) a cancellation fee of \$250; or
- (ii) up to 30% of the purchase price, plus Buyers Premium or Flat Rate Per Unit (as applicable),

to cover the actual and reasonable costs incurred by the Company because of the Purchaser's failure to complete the purchase; and these costs may include but are not limited to the cost of resale of the item, any lost commission and Buyers Premium (if any), administration costs, restocking costs and any other reasonable costs. Where payment has been made by credit card, the Purchaser authorises the Company to deduct from the Purchaser's credit card, any amount owing to the Company under this subclause 9.2(c). The Purchaser will be provided with reasonable details of the charge.

- (d) No employee, servant or agent of the Company is authorised to waive, add to or vary these Terms and Conditions without the written authority of the Company's Secretary or General Manager.
- (e) If the Purchaser is liable to the Company under this clause 9.2, and the Purchaser has paid moneys to the Company towards any lot, the Company may apply those moneys to the amount owed under this clause

10. Proceedings against Vendor

The Purchaser acknowledges that the Company is usually acting as the authorised agent of the Vendor and any rights of action the Purchaser may have in respect of the lots purchased by the Purchaser generally lie against the Vendor, not the Company. In the event that the Purchaser wishes to take proceedings in respect of the said lots and the Vendor has not been named by the Company in its dealings with the Purchaser to date, the Purchaser agrees to request the name of the Vendor from the Company and, provided the Company provides the relevant details, the Purchaser agrees to proceed against the Vendor first, not the Company.

11. Terms and conditions for specific goods

11.1 Additional terms and conditions

The Auctioneer or the Company may before the commencement of an Auction state that additional terms and conditions apply to that particular lot or Auction. Any such terms and conditions will be deemed to be incorporated into and form part of these Terms and Conditions.

11.2 Computer equipment

The Purchaser acknowledges that any computer equipment which is sold at Auction may include software (**Software**) which is under licence (**Licence**) from the software owner to the Vendor and that the terms and conditions of the Licence may restrict the use and transfer of the Software. The Purchaser:

- (a) warrants that it has had an opportunity to make inquiries about the Licence; and

- (b) undertakes to be bound by the Licence terms and conditions (where applicable).

11.3 Motor vehicles

- (a) Any motor vehicle offered at Auction is offered in accordance with the 'Motor Vehicle Terms & Conditions' available on the Site and available for inspection at the Auction (**Motor Vehicle Terms & Conditions**).
- (b) In the event of any inconsistency between the Motor Vehicle Terms & Conditions and these Terms and Conditions, these Terms and Conditions will prevail. No motor vehicle sold at Live Auction is eligible for the Company's extended warranty offering. The Purchaser acknowledges that any inspection report (including pink slip, blue slip, NRMA, RACV, RACQ report or similar) offered with any motor vehicle has been supplied by the Vendor and not the Company. The Purchaser acknowledges that the Company cannot and does not warrant or guarantee the correctness or accuracy of anything contained in or implied by any such report.

11.4 Plant and equipment

- (a) The Purchaser acknowledges that work, health and safety legislation, Codes of Practice and Australian Standards (**Relevant Legislation**) imposes duties and obligations in respect of the sale or transfer of used plant and equipment for use in the workplace. The Company does not warrant, guarantee or represent that any plant and equipment offered for sale is fit for use in

any workplace and/or matters that may affect its future usage. It is the Purchaser's responsibility to ensure plant and equipment is not used in any workplace until all faults (if any) are rectified and brought to a standard necessary to comply with the Relevant Legislation.

- (b) In so far as such information is available, the Purchaser acknowledges that all available records in the possession of the Vendor in respect of the manufacturer's design and safety recommendations have been made available, at the request of the Purchaser, for inspection. Where such information and/or records are not available and the plant and equipment is sold without such information (including any information required to be provided to a Purchaser under the Relevant Legislation), the Company is not liable for any loss, damages, claims to any person for the absence of such information/records.
- (c) The Purchaser warrants that they have undertaken a proper inspection of the plant and equipment, any records referred to in this clause and made all necessary enquiries to determine whether the plant and equipment meets the requirements of the Relevant Legislation.

12. Live Auctions

Bidders acknowledge and agree that:

- (a) the Auction may be live streamed on the Site (a **Live Auction**) in accordance with the terms and conditions set out in the GraysOnline User

grays•ecommercegroup

graysonline
com

graysasset
services

graysMINING
com

Grays
wine
com.au

- Agreement available at GraysOnline.com;
- (b) the Auctioneer may accept bids submitted online during the Live Auction from persons who are not physically present at the auction;
 - (c) the Auctioneer may accept Absentee Bids either in advance of or during the Live Auction from persons who are not physically present at the Auction;
 - (d) in the event that the Auctioneer receives an online bid for a Live Auction around the same time that a bid is made in person from the Auction floor, the Auctioneer may give the bid from the Auction floor priority over the online bid;
 - (e) in the event that a lot is reoffered under clause 2.1(c), the Company may also hold the Auction for the reoffered lot by Live Auction; and
 - (f) the Company will record the Auction and such recording may include images of the Bidders and such recordings may be stored by the Company for a period of time, in accordance with its Privacy Policy available on the Site. Bidders and other persons attending the Auction consent to being filmed by the Company and to the Company using such footage for the Live Auction.

13. Governing law

These Terms and Conditions are governed by and must be construed in accordance with the laws in force in the state in Australia in which the auction is held. The Company, Bidders, the Purchaser and the Vendor

grays•ecommercegroup



irrevocably submit to the exclusive jurisdiction of the courts of that state.

14. Privacy

The Company's Privacy Policy on the Site applies.

15. Definitions and interpretation

15.1 Definitions

In this document, unless the context otherwise requires:

Absentee Bid means a bid for a lot in an Auction which a Bidder submits to the Auctioneer to execute on the Bidder's behalf during the Auction;

Auction means an auction run by the Company at physical premises;

Auctioneer means the auctioneer at the Auction;

Australian Consumer Law means the Australian Consumer Law in Schedule 2 of the *Competition and Consumer Act 2010* (Cth);

Bidder means a bidder or prospective bidder at an Auction;

Buyer's Premium has the meaning given to it in clause 4(a)(i);

Company means:

- (a) if the auction is held in Queensland, CM Pty Ltd ACN 060 526 516;
- (b) if the auction is held in South Australia, GraysOnline (SA) Pty Ltd ACN 119 696 070;
- (c) if the auction is held in New South Wales, Grays (NSW) Pty Ltd ACN 003 688 284;
- (d) if the auction is held in Victoria, Grays (VIC) Pty Limited ACN 085 287 289; or
- (e) if the auction is held in Western Australia, Gray Eisdell Timms (WA) Pty Ltd ACN 056 957 852.

Flat Rate Per Unit has the meaning given to it in clause 4(a)(ii);

GST means goods and services tax determined in accordance with the A

New Tax System (Goods and Services Tax) Act 1999 (Cth);

Live Auction has the meaning given to it in clause 12(a);

Motor Vehicle Terms & Conditions has the meaning given to it in clause 11.3;

Purchaser means the purchaser of a lot at an Auction, as determined by the Auctioneer;

Site means the GraysOnline website (including graysonline.com.au) and mobile apps;

Terms and Conditions means these terms and conditions; and

Vendor means the owner of a lot being sold at Auction.

15.2 Interpretation

In interpreting this document, unless the context otherwise requires:

- (a) the singular includes the plural and vice versa;
- (b) reference to a person includes any other entity recognised by law and vice versa;
- (c) words denoting any gender include all genders;
- (d) where a word or phrase is defined its other grammatical forms have a corresponding meaning;
- (e) any reference to a party to this document includes its successors and permitted assigns;
- (f) an agreement, representation or warranty on the part of two or more persons binds them jointly and severally; and
- (g) an agreement, representation or warranty on the part of two or more persons is for the benefit of them jointly and severally.

DRAFT

CONTACT DETAILS

Morgan Moebus

Project Manager

Grays Online

0439 323 629

morgan.moebus@grays.com.au

Kayleigh Gartland

Business Development Manager

GraysOnline

0429 436 174

Kayleigh.gartland@grays.com.au

Payment Enquiries

Brisbane Office

GraysOnline

07 3015 9250

Collection Enquiries – Site Contact

David Drummond

0459 030 808

david@exeq.com.au

grays  ecommercegroup

graysonline
com

graysasset
services

graysMINING
com

Grays
wine
com.au

PAYMENT DETAILS

Instructions for payment of invoice by Direct Deposit

Name of Account: GraysOnline

Bank: ANZ

BSB: 014 247

Account Number: 8367 21502

Branch: Hamilton

Reference: Your invoice number

For invoice funds to be cleared on the same day they must be transferred from an ANZ account or deposited directly at any ANZ Branch

Please provide a copy of the deposit slip to:
collections@grays.com.au

NOTE: CASH & EFTPOS will be accepted the day of the sale only. There will be no facilities onsite to accept payments after this date.

grayscommercegroup

graysonline
com

graysasset
services

graysMINING
com

Grays
wine
com.au

DRAFT

LOT	DESCRIPTION
1	Qty of 5 x Unused Ratchet Strap/Binders, 2500Kg - 5000Kg, 27ft long
2	Qty of 5 x Unused Ratchet Strap/Binders, 2500Kg - 5000Kg, 27ft long
3	Qty of 5 x Unused Ratchet Strap/Binders, 2500Kg - 5000Kg, 27ft long
4	Qty of 5 x Unused Ratchet Strap/Binders, 2500Kg - 5000Kg, 27ft long
5	Qty of 5 x Unused Ratchet Strap/Binders, 2500Kg - 5000Kg, 27ft long
6	Qty of 5 x Unused Ratchet Strap/Binders, 2500Kg - 5000Kg, 27ft long
7	Qty of 5 x Unused Ratchet Strap/Binders, 2500Kg - 5000Kg, 27ft long
8	Qty of 5 x Unused Ratchet Strap/Binders, 2500Kg - 5000Kg, 27ft long
9	Qty of 5 x Unused Ratchet Strap/Binders, 2500Kg - 5000Kg, 27ft long
10	Qty of 5 x Unused Ratchet Strap/Binders, 2500Kg - 5000Kg, 27ft long
11	Qty of 5 x Unused Ratchet Strap/Binders, 2500Kg - 5000Kg, 27ft long

- 12** Qty of 5 x Unused Ratchet Strap/Binders, 2500Kg - 5000Kg, 27ft long
- 13** Qty of 5 x Unused Ratchet Strap/Binders, 2500Kg - 5000Kg, 27ft long
- 14** Qty of 5 x Unused Ratchet Strap/Binders, 2500Kg - 5000Kg, 27ft long
- 15** Qty of 5 x Unused Ratchet Strap/Binders, 2500Kg - 5000Kg, 27ft long
- 16** Star Picket Driver, 32 inches long
- 17** 2 x Concrete Screeds, 1 x 2.4m & 1 x 1.8m
- 18** Unused Bray Controls Actuator Butterfly Valve, air operated, Serial No: 1775770003
- 19** Qty of 1 Inch Air Hose
- 20** B-Safe Retracting Lanyard
- 21** Hiretech Wallpaper Steam Stripper, Model: HTW-5, 240V
- 22** Giraffe Ceiling Sander, Model: AG700, 240V
- 23** Hiretech Disc Floor Sander, Model: HT7-2, 240V

- 24** Essex Silver Line Floor Sander,
Model: SL-8, 240V, Belt Sander
- 25** Yellow Toolbox, 720 x 270 x
220mm
- 26** Pipe Cutter & Pipe Tongs
- 27** Air Operated Breaker
- 28** Air Operated Breaker
- 29** Air Operated Breaker
- 30** Air Operated Chipping Hammer
- 31** TOKU 180mm Pneumatic Grinder
- 32** NITTO 180mm Air Grinder, Model:
MAG-70
- 33** Air Operated Grinder
- 34** Cengar Pneumatic Hack Saw,
Model: CL50/75, Air powered,
Hard carry case
- 35** Cengar Pneumatic Hack Saw,
Model: CL50/75, Air powered,
Hard carry case

- 36** Cengar Pneumatic Hack Saw, Model: CL50/75, Air powered, Hard carry case
- 37** Unused Battery Charger / Jumper Pack, 12V & 24V
- 38** Unused 20 Ton Hydraulic Workshop Press, 2 speed pump, some assembly required, Shipping Dimensions: 1560mm x 230mm x 240mm, Weighs 94Kgs
- 39** Unused 10 Ton Hydraulic Workshop Press, some assembly required, Shipping Dimensions: 770mm x 545mm x 155mm, Weighs 46Kgs
- 40** Unused 22 Ton Workshop Jack, Air Operated, Lifting Range: 225mm-550mm
- 41** 12 CFM Workshop Air Compressor, Petrol engine
- 42** Unused Ashita Heavy Duty 1 Inch Impact Wrench, with sockets, Hard Carry Case
- 43** Chicago Pneumatic Air operated impact wrench, 1 inch
- 44** Unused 1/2 Inch ASHITA Impact Wrench, Air powered, Twin Hammer, 90 PSI, Max Torque: 760Nm, with hard case and sockets

- 45** Atlas Copco 12mm Impact Wrench, Air Operated, Variable Speed
- 46** Chicago Pneumatic 12mm Impact Wrench
- 47** Pop Rivet Gun, Air Powered, comes with hard carry case
- 48** Pop Rivet Gun, Air Powered, comes with hard carry case
- 49** Hitachi Strip Nailer, Model: NR90AD(S), Air powered
- 50** Spectra Precision Laser Level, Model: LL500, With Hard Case, batteries & receiver
- 51** HILTI Core Drill, Model: DD 150-U, Maximum Diameter: 162mm, comes with in line controller, hard carry case, 1 x Core bit - 100mm
- 52** Tyrolit Core Drill Stand, Model: DRU160P, up to 160mm diameter
- 53** Makita Right Angle 12mm Drill, Model: DA6300, 240V
- 54** Makita Hammer Drill, 240V, Max Drill bit: 16mm diameter, comes with hard case
- 55** Unused Clinton drill, 240V, Model: ED-10, 10mm
- 56** Makita Circular Saw, Model: 5900B, 240V, 1750W, 235mm

- 57** Hitachi Sander, Model: SV 12SD, 114mm orbital sander, 240V
Serial No: 110005
- 58** Hitachi Disc Sander / Polisher, Model: SAT-180, 240V, 180mm Disc
- 59** Bosch 100mm Angle Grinder, Model: GWS 6-100, 240V
- 60** Bosch 100mm Angle Grinder, Model: GWS 6-100, 240V
- 61** Bosch 100mm Angle Grinder, Model: GWS 6-100, 240V
- 62** Bosch 100mm Angle Grinder, Model: GWS 6-100, 240V
- 63** Tesuco Oxygen / Acetylene Kit, various components
- 64** Oxygen / Acetylene Kit, various components
- 65** Cig Weld Oxygen / Acetylene Kit, various components
- 66** Unused 3m x 3m Gazebo, shipping dimensions: 1450mm long x 200mm x 200mm
- 67** Unused Warehouse Racking, Slight Damage – Inspection Recommended
- 68** Unused Fold-away Barbeque, Size: 700mm x 330mm

- 69** Unused Table Top Barbeque, 440mm x 270mm
- 70** Pedestal Fan, Yellow, 240V
- 71** Birko Pie Warmer, 240V
Dimensions: 590mm wide x 350mm deep x 480mm high 2 sliding doors
- 72** Birko Hot Water Wall Mounted Dispenser, No tap, 320 x 135 x 435mm 240V
- 73** JET FIRE Mobile Industrial Gas-Fired Air Heater, Model: J33
- 74** 400mm Ventilation Air Blower, Powered by Compressed air
- 75** Americ Exhaust Fan, 240V
- 76** Carpet Dryer, Phoenix Centrifugal fan, 230V
- 77** Drieaz Carpet Dryer, Model: F65-PRO, 230V, Centrifugal Fan
- 78** Minuteman Carpet Dryer, 240V centrifugal fan
- 79** Advance Carpet Dryer, 240V centrifugal fan
- 80** Qty of 10 x Electrical Extension Leads, various lengths

- 81** Qty of 10 x Electrical Extension Leads, various lengths
- 82** 2 x Residual Current Device's, (RCD's), 240V
- 83** 2 Header Floodlight, on Tripod, Variable height, 240V
- 84** 2 Header Floodlight, on Tripod, Variable height, 240V
- 85** 2 Header Floodlight, 240V
- 86** 3 Header Flood Light, 240V
- 87** 2 x Single Hand Held Flood Lights, 240V
- 88** 2 x Single Hand Held Flood Lights, 240V
- 89** Pipe Rack for EWP, to suit various Scissor Lifts
- 90** Pipe Rack for EWP, to suit various Scissor Lifts
- 91** 2 x Used Girder Clamps, 1 x 3 Ton capacity and 1 x 1 Ton capacity
- 92** Beaver Girder Trolley, SWL: 1 Ton

- 93** Holmatro Air Lifting Bag, Model: HLB 40, Kevlar reinforced, Maximum Lift Height: 405mm, 40 Ton Maximum Lift
- 94** Hydraulic Wedge, Capacity unknown
- 95** Unused 100 Ton Hydraulic Lifting Cylinder, 100mm Stroke, With Hand Pump
- 96** Low Profile Cylinder Jack, 36mm (dia) riser
- 97** Enerpac Low Profile Cylinder Jack, 24mm (dia) riser
- 98** Unused Ashita 30 Ton Hydraulic Pump & Gear Puller Set
- 99** Unused Ashita 10 Ton Hydraulic Gear Puller Set,
- 100** Unused Ashita Grease Pump, Model: 13QB02, Air operated
- 101** Unused Wacker Neuson Petrol Engine, Model: WN9, 7.5 HP
- 102** Unused Wacker Neuson Petrol Engine, Model: WN9, 7.5 HP
- 103** Unused Wacker Neuson Petrol Engine, Model: WN9, 7.5 HP
- 104** Unused Robin / Subaru Petrol Engine, Model: EX13 4.3HP, comes with manual

- 105** Unused Robin / Subaru Petrol Engine, Model: EX13 4.3HP, comes with manual
- 106** Unused Robin / Subaru Petrol Engine, Model: EX13 4.3HP, comes with manual
- 107** Unused Ashita Concrete Drive Unit, Petrol Engine
- 108** Unused Ashita Concrete Drive Unit, Petrol Engine
- 109** Diesel Poker Drive Unit, Yanmar Engine
- 110** Diesel Poker Drive Unit, Yanmar Engine
- 111** Petrol Poker Drive Unit, Robin Engine
- 112** Petrol Poker Drive Unit, Robin Engine
- 113** Unused Wacker Neuson Electric Concrete Internal Vibrator, IREN65 High Frequency, 65mm Head
- 114** Stihl Post Hole Digger, Model: 4308, 2 Man set up, 2 stroke petrol engine
- 115** Unused Floor / road saw, Model: KQ600L, 6.5 HP petrol engine, comes with 1 cutting blade, max cutting depth - 80mm, 12 litre water tank, operating weight 67Kgs, to suit 350mm diameter blades

- 116** Unused Stihl Cut Off Saw, 12`` Blade, Model: TS410, comes with 1 cutting disc, instructions manual
- 117** Mikasa Heavy Duty Plate Compactor, Model: MVH-306DSN, Operating Weight: 340Kgs, Yanmar Diesel Engine
- 118** Mikasa Plate Compactor, Model: MVC-88GH, Honda Petrol engine, Operating weight: 85Kgs
- 119** Mikasa Plate Compactor, Model: MVC-88GH, Honda Petrol engine, Operating weight: 85Kgs
- 120** Unused Plate Compactor, Model: C50, Petrol engine, Operating Weight: 50kgs
- 121** Unused Wacker Neuson Rammer Compactor, Model: MS62, 2 stroke Petrol engine, Operating weight: 66Kgs
- 122** Wacker Neuson Rammer Compactor, Model: DS70, Diesel Engine, Operating weight: 83Kgs
- 123** Unused Rammer Compactor, Model: RM-80, Petrol Engine
- 124** Unused Petrol engine High Pressure Cleaner, Model: 180F, 2500 PSI, 9.2 Litres per minute, comes with nozzles & gurney, 6.5 hp engine, Comes with hose reel, Shipping Dimensions: 86.5cm x 43cm x 50.3cm, weight approximately 38 Kgs

- 125** Unused Stanley Broadcast/Spot Sprayer, Model: STA98BS, 12V 98Ltr, 70Psi, Single Broadcast Nozzle, 28" Spray Gun, 4.57m Hose
- 126** Stillage of Lifting Chains
- 127** 5 Ton Endless Chain Block, 6m Drop
- 128** 3 Ton Endless Chain Block, 6m Drop
- 129** 3 Ton Endless Chain Block, 6m Drop
- 130** 3 Ton Endless Chain Block, 3m Drop
- 131** 3 Ton Endless Chain Block
- 132** Unused 2 Ton Chain Block, 3G Beaver block 3m Drop
- 133** 2 Ton Endless Chain Block, 3m Drop
- 134** 2 Ton Endless Chain Block, 3m Drop
- 135** 1 Ton Endless Chain Block
- 136** 1 Ton Endless Chain Block

- 137** 500 Kg Endless Chain Block
- 138** Qty of 2 x 3m Aluminium Painters Trestles
- 139** Qty of 2 x 3m Aluminium Painters Trestles
- 140** Qty of 2 x 3m Aluminium Painters Trestles
- 141** Qty of 2 x 2.4m Aluminium Painters Trestles
- 142** Unused Wacker Neuson 4.2kW Generator, Model: MG3, Petrol Engine, electric start, comes with safety cradle, wheels, with Operators Manual
- 143** Unused Wacker Neuson 4.2kW Generator, Model: MG3, Petrol Engine, electric start, comes with safety cradle, wheels, with Operators Manual
- 144** Large Electrical Distribution Board, with Lifting eye, Single & 3 phase outlets
- 145** Electrical Distribution Board, mounted on trolley, Single & 3 Phase Outlets
- 146** Unused Wacker Neuson 3 Inch Water Pump, Model: MDP3, 64Kgs, Petrol engine, Safety Cradle

- 147** Unused 3 Inch Water Pump, Model: WP30 (Type H), 6.5hp petrol engine, delivery volume: 1000 Litres per minute, Suction height 7m, cradle mounted, Shipping Dimensions: 46cm x 52cm x 46cm
- 148** Unused 3 Inch Water Pump, Model: WP30 (Type H), 6.5hp petrol engine, delivery volume: 1000 Litres per minute, Suction height 7m, cradle mounted, Shipping Dimensions: 46cm x 52cm x 46cm
- 149** Unused 2 Inch Water Pump, Model: WP20, 5.5hp petrol engine, delivery volume: 600 Litres per minute, Suction height 7m, cradle mounted, Shipping Dimensions: 46cm x 52cm x 46cm
- 150** 2018 Unused Heavy duty 20ft Container Shelter, Model: C2020 20ft wide x 20ft long x 6ft 6in high container shelter, twist lock rails, heavy duty PVC fabric. Shipping dimensions: 740mm wide x 320mm H x 1920mm Long, Approximate weight: 220 Kgs
- 151** Unused 1000 Litre Double Wall Self Bunded Fuel Storage Tank, 1105mm wide x 1105mm long x 1215mm High (Excluding Lifting eyes), With Fork Pockets & Lifting Eyes, Inspection point, Complies with AS1692, AS1940 Storage of petroleum Fuels
- 152** Unused 1000 Litre Double Wall Self Bunded Fuel Storage Tank, 1105mm wide x 1105mm long x 1215mm High (Excluding Lifting eyes), With Fork Pockets & Lifting Eyes, Inspection point, Complies with AS1692, AS1940 Storage of petroleum Fuels

- 153** Unused Caterpillar Diesel Tank, approximate volume: 700 Litres, Shipping Dimensions: 1000mm high x 1000mm wide x 780mm long
- 154** Unused Caterpillar Diesel Tank, approximate volume: 700 Litres, Shipping Dimensions: 1000mm high x 1000mm wide x 780mm long
- 155** Unused 500 Litre Fuel Tank, with 12V Pump & Meter, comes with hose & nozzle, and lockable lid, Automatic shut off
- 156** Unused 500 Litre Fuel Tank, with 12V Pump & Meter, comes with hose & nozzle, and lockable lid, Automatic shut off
- 157** Unused Electric Fuel Transfer / Dispenser, with Meter, suction hose, dispenser hose and Nozzle, 240V
- 158** 2018 Unused Wood Chipper Attachment, Model: BX42S-GL, To Suit Tractor, PTO Driven, 3 Point Linkage
- 159** Red Roo Walk Behind Stump Grinder, Model: SG350, Petrol Engine, Condition Unknown
- 160** Crommelins Ground Hog Walk Behind Trencher, Robin Petrol engine, Maximum Trench depth - 18 Inches
- 161** John Deere Tractor Lawnmower, Model: LX188, Petrol engine, 48 Inch Cutting Deck
- 162** Unused Tipping Skip Bin, Fork Pockets, 1100mm wide

- 163** Unused Tipping Skip Bin, Fork Pockets, 1100mm wide
- 164** 2018 Set of 2 Unused Wrought Iron Style Gates, Each gate is 10ft wide, Height at High Side: 2.1m, Height at Low Side: 1.8m, made from Galvanised Steel, Combined approximate weight 150Kg
- 165** 2018 Set of 2 Unused Wrought Iron Style Gates, Each gate is 10ft wide, Height at High Side: 2.1m, Height at Low Side: 1.8m, made from Galvanised Steel, Combined approximate weight 150Kg
- 166** 2018 Set of 2 Unused Wrought Iron Style Gates, Each gate is 10ft wide, Height at High Side: 2.1m, Height at Low Side: 1.8m, made from Galvanised Steel, Combined approximate weight 150Kg
- 167** Heavy Duty 240v Truck Tyre Changer - Demo Model, Model: C225, Rim Diameter 14`` to 26``, Max Wheel weight: 500Kgs, Max Wheel Width 780mm, Max Tyre Diameter - 1600mm
- 168** Unused Multi-Function Hydraulic Pipe Bender, 240V, to suit various size pipes
- 169** Lincoln Electric Vantage 580 Welder Generator, 4 Cylinder Perkins diesel engine, Emergency Stop, VRD, 4438 Hours Indicated, Mounted in Safety Cradle, Fork Pockets
- 170** Lincoln Electric Vantage 575 Welder generator, Trailer Mounted, Ring Hitch, Emergency Stop, Battery Isolator, 2098 Hours Indicated, 4-cylinder Cummins Diesel Engine

- 171** Shindaiwa 500A Welder / Generator, 15kVA Output, Kubota 4 Cylinder Diesel engine, 3832 Hours Indicated
- 172** Miller Trailblazer Welder, Model: 301G, for parts only
- 173** Nugen Power Generation 80kVA Generator, Model: S80PS, Operating weight: 2270Kgs, 4 Cylinder Perkins Diesel Engine, 21488 Hours Indicated, enclosed silenced cabinet, emergency stop, Battery Isolator
- 174** Pramac 40 kVA Generator, Model: GSL42, 4 Cylinder Deutz Diesel Engine, Hours not visible, Enclosed Silenced Cabinet, Battery Isolator, Emergency Stop
- 175** 2018 Unused Ashita 40kVA Generator, Model:AG3-50 SBG, 4 Cylinder Diesel engine, Enclosed Silenced Cabinet
- 176** 2018 Unused 40kVA Generator, Model: GF3040, Single & 3 Phase Output, 4-cylinder Diesel Engine, Enclosed Silenced Cabinet
- 177** 2018 Unused Ashita 30 kVA Generator, Model: AG-40, 4 Cylinder Diesel engine, Enclosed Silenced Cabinet
- 178** Cummins Power Generation 25 kVA Generator, Model: C28D5, Lifeguard LG34 Circuit Protection, Battery Isolator, 3 Cylinder Cummins Diesel Engine, Enclosed Silence Cabinet, 4292 Hours Indicated

- 179** Cummins Power Generation 20 kVA Generator, Model: C22D5, Lifeguard Circuit Protection, Battery Isolator, 3 Cylinder Cummins Diesel Engine, 1347 Hours Indicated, Enclosed Silence Cabinet
- 180** FG Wilson 20 kVA Generator, Model: XD20P2, 4 cylinder Perkins engine, Battery Isolator, 3005 hours Indicated, Silence cabinet, extra-large Fuel Tank
- 181** Kubota 20kVA Generator, Model: SQ3200AUS, 3676 Hours Indicated, 4 Cylinder Kubota Diesel Engine, Trailer Mounted
- 182** Pramac 6kVA Generator, Model: P6000s, Diesel Engine, Enclosed Cabinet, Battery Isolator
- 183** Crommelins 8kVA Generator, Diesel Engine, Key Start, Battery Isolator
- 184** Crommelins 8kVA Generator, Diesel Engine, Key Start, 1906 Hours Indicated
- 185** Crommelins 8kVA Generator, Diesel Engine, Key Start, Battery Isolator, Emergency Stop
- 186** Crommelins 3.5kVA Generator, Petrol Engine, Safety Cradle
- 187** 2018 Unused Water Blaster Unit, 700 Litre Tanks, Key Start, Yanmar Diesel engine, Pump, Hose reel & Gurney, Skid Mounted
- 188** Atlas Copco 130CFM Tow Behind Compressor, Model: XAS130, 1267 Hours Indicated, Deutz 4-cylinder diesel engine, Hitch to Suit 50mm tow ball

- 189** Compair 130CFM Tow Behind Compressor, Model: C38, Cummins 4 cylinder diesel Engine, 3683 hours indicated
- 190** Atlas Copco 270 CFM Tow Behind Compressor, Model: XAS300 DD7, 4 cylinder Deutz Engine, 2641 Hours Indicated, Condition Unknown
- 191** CompAir 900CFM Compressor, Model: C270TS-9, 6 cylinder Twin Turbo Engine, Skid Mounted, Hours Not Visible, Condition Unknown
- 192** Sykes 4 Inch Silenced Water Pump, Model: GP100M 25, 805 hours indicated, Silenced Cabinet, Lister Diesel Engine, Emergency Stop, Battery Isolator
- 193** Sykes 4 Inch Silenced Water Pump, Model: GP100M 25, 2439 hours indicated, Silenced Cabinet, Lister Diesel Engine, Emergency Stop, Battery Isolator
- 194** Yakka150 Tow Behind Water Pump, 150mm Inlet, 150mm Outlet, SYKES Water pump, Model: YAK15010, Cummins 4 Cylinder Turbo Diesel Engine, Mounted on Single Axle Trailer, Emergency Stop, Battery Isolator, 2290 Hours Indicated
- 195** Stalker 150mm Water Pump, Model: Unknown, 200mm output
- 196** Kenflo Self Priming 150 Water Pump. Model: FSR-150, IMP Diameter: 219mm, Serial No: 2008-205

- 197** Allight Tow Behind Light Tower, Model: MS6K-9, Single Axle, 4 header, 3 Cylinder Perkins Engine, 2600 Hours Indicated, Jockey Wheel, hitch to suit 50mm Tow Ball, Outriggers
- 198** Allight Tow Behind Light Tower, Model: MS6K-9, Single Axle, 4 header, 3 Cylinder Perkins Engine, 6929 Hours Indicated, Jockey Wheel, hitch to suit 50mm Tow Ball, Outriggers
- 199** Allight Tow Behind Light Tower, Model: MS6K-9 , Single Axle, 4 header, 3 Cylinder Perkins Engine, 12749 Hours Indicated, Jockey Wheel, hitch to suit 50mm Tow Ball, Outriggers
- 200** GB Power Telescopic Skid Mounted Light Tower, 727 Hours Indicated, 3 Cylinder Perkins Engine
- 201** GB Power Telescopic Skid Mounted Light Tower, 1145 Hours Indicated, 3 Cylinder Perkins Engine
- 202** 2018 Unused 1000 Litre Bunded Fuel Bowser, with 12V Metered Pump, Tandem Axle
- 203** 1250 Litre Bunded Fuel Trailer, Tandem Axle, comes with Pump & Hose reel, hitch to suit 50mm tow ball, Diesel Engine, Battery Isolator
- 204** ThoroughClean Water Blaster Trailer, 1000 Litre Tank, Fitted with Diesel Air Cooled Engine, Push Button Start, Emergency Stop, Battery Isolator, Spare Wheel, Hose Reel & Gurney 200 Bar / 2900 PSI Pump

- 205** Techroad Tow Behind Variable Message Board, Model: 8500, LED Lights, retractable drawbar, Single Axle
- 206** Techroad Tow Behind Variable Message Board, Model: 8500, LED Lights, retractable drawbar, Single Axle
- 207** Single Axle Box Trailer, With Jockey Wheel, Spare Wheel, Head Board, ATM: 750Kgs
- 208** 2012 Aspinall Enclosed Box Trailer, Single Axle, Jockey Wheel, ATM: 750Kgs, Tare: 300Kgs, LED Lights, 1470mm wide x 1700mm High
- 209** 2018 Unused Scariff 390D Dinghy, HIN: SB1S8005C818, OAL: 3.95m, Hull Length: 3.9m, Beam: 1.53m, Depth: 0.65m, Bottom Sides: 2mm, Top Sides: 1.6mm, Transom: 3mm, Weight (Boat Only): 95kg, Max. Load Capacity: 4 persons
- FEATURES: Anchor Shelf, Side Pockets, Drink Holders, Extruded Side Decks, Front Deck Handles: 1 x Bow, 2 x Transom Handles, Set Rolock Blocks, Bench Seat Floatation, Front Bench Seat, Rear Bench Seat, Bollard, Full Carpet between Seats, Full Length Rails, Short Low Bow Rails, Aft Short Side Rails, Transducer Bracket, 2 x Rod Holders, Transom Rail
- TRAILER: Redco Galvanised Trailer, VIN: H4RE121318005371

- 210** 2018 Unused Scariff 390D Dinghy, HIN: SB1S8006C818, OAL: 3.95m, Hull Length: 3.9m, Beam: 1.53m, Depth: 0.65m, Bottom Sides: 2mm, Top Sides: 1.6mm, Transom: 3mm, Weight (Boat Only): 95kg, Max. Load Capacity: 4 persons

FEATURES: Anchor Shelf, Side Pockets, Drink Holders, Extruded Side Decks, Front Deck Handles: 1 x Bow, 2 x Transom Handles, Set Rolock Blocks, Bench Seat Floatation, Front Bench Seat, Rear Bench Seat, Bollard, Full Carpet between Seats, Full Length Rails, Short Low Bow Rails, Aft Short Side Rails, Transducer Bracket, 2 x Rod Holders, Transom Rail

TRAILER: Redco Galvanised Trailer, VIN:6H4RE121318005329

- 211** Apollo Swift Fiberglass Speed Boat, Model: 3.80m, Comes with Single Axle Trailer

- 212** New Holland Power Shift Backhoe Loader

Model: LB115, comes with 1 Mud Bucket & 3 Digging Buckets, 4 in 1 Front end Loader Bucket, Jaws Quick Hitch, Extendahoe, Hours not visible

213 2013 Merlo P34.7 Telehandler,

Maximum Lift: 3400Kgs,
Maximum Lift Height: 7m, Deutz 4
Cylinder Diesel Engine, Battery
Isolator, Emergency Stop, 1655
Hours Indicated

214 Dieci MLL170 Telehandler

3001 Hours Indicated, Fitted with
EWP / Man Basket with remote
operation, Emergency Stop,
Operating Weight: 8850Kgs, Max
Lift: 3300 Kgs, Maximum Lift
Height: 11m, Hydraulic Jack Legs

215 Merlo P28.7 EVS Telehandler

Operating Weight: 6400Kgs,
comes with Fork Attachment,
Perkins 4 cylinder Diesel Engine,
4055 Hours Indicated, Maximum
Lift: 2800 Kgs, Maximum Height:
7m

216 Bobcat T3571L Telehandler

Operating Weight: 7199Kgs, 4125
Hours Indicated, Comes with Fork
Attachment, 4 Cylinder Perkins
Engine, Maximum Lift Capacity:
3500Kgs, Maximum Lift Height:
7100mm

217 Dieci 70.10 Samson Telehandler

Maximum Lift: 7000Kg, Maximum Lift Height: 9650mm, Operating weight: 12650Kgs, 8968 Hours Indicated, Condition Unknown

218 2013 JCB 535-95 Telehandler

Indicated Hours: 1630, Hydrostatic Transmission, Features: Enclosed A/C Cab, Estops, Isolators, Quick Hitch, Work Lights, Condition Unknown

219 Manitou Rough Terrain Forklift

Model: MC50, Maximum Lift: 4000mm, 3598 Hours Indicated

220 Clark C25L LPG Forklift

Side Shift, 1070mm Forks, Max Lift: 2130Kgs, Maximum Height: 4300mm, 595 Hours Indicated

221 Linde H25D Diesel Forklift

Maximum Lift Capacity: 2230 Kgs, Maximum Lift Height: 4715mm, 1100mm Fork Tynes, diesel engine, Side Shift, Solid Tyres, starts & operates, no major faults known

222 Nissan LPG Forklift

Model: PL02A25U, 4303 hours Indicated, comes with side shift, maximum lift height: 6000mm, Maximum Lift Capacity: 2120Kgs, 1070mm Fork Tynes, Starts & operates, no major faults known

223 Komatsu Diesel Forklift

Model: FG20T-11, side shift, 1060mm Forks, 8580 Hours Indicated, Max Lift: 2000Kgs, Nissan 4 Cylinder Petrol Engine, Condition Unknown

224 Toro Groundmaster Wing Mower

Model: 4010D, Enclosed Cab, 4 Wheel Drive, Kubota 4 Cylinder Turbo Diesel Engine, 5089 Hours Indicated

225 Caterpillar Skid Steer Loader

Model: 242B, Fitted with 1550mm GP Bucket, Enclosed Cabin, 4 cylinder Diesel Engine, Emergency Stop, Battery Isolator, Hours Not Visible

226 Bobcat Skid Steer Loader

Model: S185, Hours Indicated: 5445, Fitted with 1830mm GP Bucket, Enclosed Cabin, Kubota 4 Cylinder Diesel Engine

227 Bobcat Skid Steer Loader

Model: S130, 3648 Hours Indicated, Fitted with 1570mm 4 in 1 Bucket, Enclosed Cabin, Battery Isolator, Emergency Stop, Kubota 4 Cylinder Diesel Engine

228 Caterpillar Smooth Drum Roller

Model: CS56, With Pad Foot Shells, 2088 Hours Indicated

229 Sany Multipac Multi Wheeled Roller

Model: YL25C, Operating Weight: 25000Kgs, Dual Control, ROPS Cabin, Battery Isolator, 4 cylinder turbo diesel Engine, 7793 Hours Indicated

230 Caterpillar Tandem Smooth Drum Roller

Model: CB22, 1306 Hours Indicated, 1000mm Wide Drums, 3 Cylinder Diesel Engine

231 Dynapac Tandem Smooth Drum Roller

Model: CC102, Deutz Diesel Engine, 1589 Hours Indicated, Operating weight: 2350 Kg, 1060m wide Drum, ROPS

232 Ammann Tandem Smooth Drum Roller

Model: AV12, Yanmar 3 cylinder diesel engine, 800mm wide drums, ROPS, No Hour meter fitted

233 Wacker Neuson Remote Control Trench Roller

Model: RT82, Emergency Stops, Battery Isolator, Diesel Engine

234 2017 Class A20 Tractor

Indicated Hours 548, Enclosed A/C Cab, E-Stops, Comes with Forklift Attachment and Bucket, Fleet Number: 00152, Tyre Size Front: 480/65 R28, Tyre Size Rear: 600/65R 38, 3 point linkage

235 Massey Ferguson 8260 Power Control Tractor

Engine Type: 6 Cylinder Diesel
Transmission: Automatic
Hours (Indicated): 470
General Body Condition: Good
Tyre Size: 420/85R30 (Front), 480/80R46 (Rear)
Tyre Condition: Good
Features: 3 Point Linkage, ROPS, Enclosed Cab

236 Bobcat Tractor With Slasher

Model: CT122, 22HP, 4WD, ROPS, 3 cylinder diesel engine, PTO driven 1050mm Slasher, ROPS, 501 Hours Indicated, 3 Point Linkage

237 Iseki Tractor

Model: TM217, 4WD, 17HP,
ROPS, 698 Hours Indicated, 3
Point Linkage

238 1992 Komatsu WA500-1 Loader

Tyres: L5, Reverse camera, Scales

239 2006 Caterpillar 140H II Grader

4.2m Blade, Emergency Stop,
Battery Isolator, Caterpillar 6
Cylinder Turbo Diesel Engine,
10348 Hours Indicated, Scarifiers

240 2011 Caterpillar 12M Motor Grader

Ex Council, Transmission Type:
Automatic, Undercarriage
Condition: Good, Tyre Condition:
Good,

Features: Enclosed A/C Cab,
Estops, FOPS, Isolators, ROPS,
Spare Wheel, Attachment: Rear
Ripper, 14ft Blade x Council, Full
Service History, Spare Wheel,
UHF, Trimble 20 GPS, Full GPS
System Included

241 2012 Caterpillar D6N Bull Dozer

LGP Type, 3.8m Blade, 6670 Hours
Indicated, 6 Cylinder Diesel
Engine, Tilt Blade, Enclosed Cabin

242 2011 Komatsu D65 Bull Dozer

Model: D65WX-16, Swamp Pads,
3.7m Blade, 7587 Hours
Indicated, Enclosed Cabin, 6
Cylinder Diesel Engine

243 Caterpillar 826C Compactor

4.6m Blade, 17732 Hours
Indicated, 6 Cylinder Turbo Diesel
Engine, Enclosed Cabin

244 Caterpillar 330C Excavator

18480 Hours Indicated, Hydraulic
Quick Hitch, 6 Cylinder Turbo
Diesel Engine, 1500mm Digging
Bucket, 600mm Grouser Pads

245 Caterpillar 330B Excavator

Piped for Breaker, Hydraulic Quick
Hitch, 12213 Hours Indicated, 6
Cylinder Turbo Diesel Engine,
750mm Grouser Pads, Emergency
Stop

246 Doosan Daewoo SL250LC-V
Excavator

15147 Hours indicated 6 cylinder turbo diesel engine, comes with hydraulic Quick hitch, Piped for breaker, 600mm Grouser Pads, Starts & Operates, Craning valves fitted

247 Unused Caterpillar 308E2 CR
Excavator

600mm Steel Grouser Pads, 2400mm Levelling Blade, 12 Hours Indicated, comes with 1 x Mud Bucket, 2 x Digging Buckets, Hydraulic Quick Hitch, Enclosed Cabin, Air Conditioning, Craning Valves, Factory fitted reversing camera, piped for auxiliaries, Comes with Operators Manual

248 Unused Caterpillar 308 E2 CR
Excavator

Model: 308E2 CR, Rubber Tracks, 2300mm Levelling Blade, 5 Hours Indicated, comes with 1 x Mud Bucket, 2 x Digging Buckets, Hydraulic Quick Hitch, Enclosed Cabin, Air Conditioning, Craning Valves, factory fitted reversing Camera, piped for Auxiliaries, comes with Operators Manual

249 Unused Caterpillar 308E2 CR
Excavator

Rubber Tracks, 2300mm Levelling Blade, 5 Hours Indicated, Comes with 1 x Mud Bucket, 2 x Digging Buckets, Hydraulic Quick Hitch, Enclosed Cabin, Air Conditioning, Craning Valves, factory fitted reversing camera, piped for Auxiliaries, comes with Operators Manual

250 Unused Caterpillar 308E2 CR
Excavator with Variable Angle
Boom

600mm Steel Grousers Pads, 2300mm Levelling Blade, 13 Hours Indicated, comes with 1 x Mud Bucket, 2 x Digging Buckets, Hydraulic Quick Hitch, Enclosed Cabin, Air Conditioning, Craning Valves, factory fitted reversing camera, piped for Auxiliaries, comes with Operators Manual

251 Caterpillar 308D Excavator

450mm Steel Grousers with Rubber Block Pads, 1653 Hours Indicated, 2300mm Levelling Blade, comes with 1 x Mud Bucket, 2 x Digging Buckets, Hydraulic Quick Hitch, ROPS, piped for Auxiliaries

252 Caterpillar 305D Excavator

Rubber Tracks, comes with 3 buckets, Hydraulic Quick Hitch, piped for 2 x Auxiliaries, Emergency Stop, 1970mm Levelling Blade, 3511 Hours Indicated

253 Caterpillar 303.5C Excavator

Rubber Tracks, Enclosed Cabin, 2256 Hours Indicated, 1770mm Levelling Blade, 4 Cylinder Turbo Diesel Engine, Comes with 1 x Mud Bucket, 2 x Digging Buckets

254 Caterpillar 303SR Excavator

Offset Boom, Comes with 1 x 4000mm Digging Bucket, 1550mm Levelling Blade, 300mm Steel Grouser Pads, Hours Not Visible

255 Unused Caterpillar 301.4C Mini Excavator

Piped for Breaker, Enclosed Cabin, Rubber Tracks, 1270mm Levelling Blade (Fully Extended) 8 Hours Indicated, Comes with 3 Buckets, Quick Hitch, 3 Cylinder Diesel engine

256 Unused Caterpillar 301.4C Mini Excavator

Piped for Breaker, Enclosed Cabin, Rubber Tracks, 1270mm Levelling Blade (Fully Extended) 5 Hours Indicated, Comes with 3 Buckets, Quick Hitch, 3 Cylinder Diesel engine

257 Unused Caterpillar 301.4C Mini Excavator

Piped for Breaker, Enclosed Cabin, Rubber Tracks, 1270mm Levelling Blade (Fully Extended) 7 Hours Indicated, Comes with 3 Buckets, Quick Hitch, 3 Cylinder Diesel engine

258 Kubota U17 Mini Excavator & Plant Trailer

Comes with 3 Buckets, Aluminium Tandem Axle Plant Trailer, Kubota 3 Cylinder Diesel Engine, 2282 Hours Indicated

259 Kubota KX41-3 Mini Excavator

Rubber Tracks, 1290mm Levelling Blade, 585 hours Indicated, 3 Cylinder Kubota Diesel Engine, Comes with 900mm Mud Bucket, Quick Hitch

260 2018 Unused CX10T Mini
Excavator

Operating weight 1000Kgs,
Rubber Tracks, Open Canopy,
Battery Isolator, Diesel engine,
levelling blade, fitted with 400mm
GP Bucket, comes with tool box &
operators manual

261 2010 Iveco Powerstar ISX 6 x 4
Prime Mover Truck,

Odometer (Kms Showing):
779,309, Axle Config: 6 x 4, Cab
Type: Bonneted Sleeper, Engine
Type: Cummins, Engine
Capacity/HP: 485Hp / 6 Cylinder,
Fuel Type: Turbo Diesel,
Transmission Type: Automatic,
Suspension Type: Air Bag, GVM
(kg): 24,500, Colour (Exterior):
White, Tyre Size (Front):
295/80R22.5, Tyre Size (Rear):
11R22.5, Rims: 10 Stud, Features:
Aero Kit, Air Conditioning, Diff
Locks, Long Range Fuel Tanks,
Power Steering, Power Windows,
UHF Radio

262 2006 Sterling LT9500 6 x 4 Prime Mover Truck,

Odometer (Kms Showing): 982,228, Hours (Showing): 22,567, Axle Config: 6 x 4, Cab Type: Bonneted Day Cab, Engine Capacity/HP: 6 Cylinder, Fuel Type: Diesel, Transmission Type: Eaton fuller split shift, Suspension Type: Air Bag, GVM (kg): 24,000, GCM (kg): 46,000, Colour (Exterior): Green, Tyre Size (Front): 295/80R22.5, Tyre Size (Rear): 11R22.5, Rims: 10 Stud, Features: Cruise Control, Long Range Fuel Tanks, Power Steering, Power Windows, PTO, UHF Radio

263 07/1998 Mack Fleetliner 6 x 4 Prime Mover Truck

Odometer (Kms Showing): 485,189, Hours (Showing): 12,152, Axle Config: 6 x 4, Cab Type: Bonneted Sleeper, Engine Type: Model: EA7-400, Engine Capacity/HP: 400 HP / 6 Cylinder, Fuel Type: Diesel, Transmission Type: Split Shift, Suspension Type: Air Bag, GVM (kg): 23,510, GCM (kg): 4,500, Colour (Exterior): White, Tyre Size (Front): 11R22.5, Tyre Size (Rear): 11R22.5, Rims: 10 Stud, Features: Air Conditioning, Long Range Fuel Tanks, Power Steering, UHF Radio

264 1992 Mercedes Benz 2628 V
Series 6 x 4 Cab Chassis Truck,

Odometer (Kms Showing):
337,452, Hours (Showing):
19,092, Axle Config: 6 x 4, Cab
Type: Cab Over Day, Engine
Capacity/HP: 8 Cylinder, Fuel
Type: Diesel, Transmission Type:
Manual, Suspension Type: Spring,
GVM (kg): 26,000, GCM (kg):
60,000, Colour (Exterior): White,
Tyre Size (Front): 12.00R24, Tyre
Size (Rear): 12.00R24, Rims: 10
Stud, Features: Air Conditioning,
Diff Locks, Power Steering

265 2007 Isuzu F3 FVZ Water Cart

Automatic Transmission, 67159
Kms indicated, 6382 Hours
Indicated, various in cab controls,
fitted with 11200 Litre Fibre Glass
Tank, Water Cannon, Rear Spray
Pods, Batter Sprayer, Dribble bar,
ROPS, Access Ladder, Bogie Drive

266 2002 Kenworth T650 Prime
Mover

Eaton Fuller Manual Gearbox,
348899 Kms Indicated, Caterpillar
C16 Engine, 6 Rod Suspension,
Auto Lube, fitted with PTO &
Hydraulics, 5th wheel, GVM:
2600Kgs, Heavy Duty Roo Bar,
New Clutch, Rear Bearings and
Brakes just done

267 1985 P92M 6 x 4 Fuel Tanker Truck

Fitted with: 17000 Litre Marshall Lethlean Fuel Tank, Diesel Donkey Engine & 160 Litre Air Compressor, Battery Isolator, Emergency Stop, GVM: 22500Kgs, GCM: 42500Kgs, Starts & Runs, 847146 Kgs Indicated, 10 Speed Manual, Spider Rims

268 Ford Cargo 1113 Flat Bed Truck

6700mm Long Tray, GVM: 11250 Kgs, GCM: 18000Kgs, 8 Speed Manual Transmission, 96029 Kms Indicated

269 Scania 143 Bull Nosed Prime Mover

YOM: 1993 Model: T143H6X4, Manual Road Ranger gearbox, GVM: 26500 Kgs, V8, 58230 Kms Indicated, Starts & Runs, Hand Brake requires adjustment

270 1985 Scania T112H Prime Mover

5th Wheel, GVM: 26500Kg, 10 Speed Manual Transmission, 720721 Kms indicated, Spring Suspension, 6 Cylinder Diesel Engine

271 Mitsubishi Canter 7/800 Tipper Truck

GVM: 6500Kgs, 126626Km Indicated, 6 speed manual, 2850mm Long Tipper Body

272 1985 Mitsubishi FV Series 6 x 4 Prime Mover

GVM: 25600Kg, GCM: 33000Kg, Spring Suspension, Heavy Duty Roo Bar, 489327 Kms Indicated, Eaton Fuller Manual Transmission, Battery Isolator

273 1990 Hino FT Series 4 x 2 Flat Bed Truck

4370mm Long Tray, Racks, step, ROPS, Battery Isolator, Emergency Stop, GVM: 9000Kg, 5 Speed Manual, 48958Km Indicated

274 Hino FF173K 4x2 Service Truck

GVM: 13500Kgs, fitted with various oil & fuel storage tanks, Hose reels, 32135Km Indicated, 6400mm long Tray

275 Western Star 5964S 6 x 4 Prime Mover

GVM: 24100Kg, GCM: 45000Kg, Sleeper Cab, Spring Suspension, Roo bar, CAT C15 6 cylinder Turbo Diesel Engine, 18,683 Hours Indicated, Jake Engine Brake, 169,552Km Indicated

276 2015 Ford Ranger PX XL 4WD,
Manual 6 Speed Dual Cab Ute

Kms Indicated: 166,058, No. of
Seats: 5, Build Date: 01/2015,
Compliance Date: 02/2015, No. of
Cylinders: 5, Engine Capacity:
3.2L, Fuel Type: Turbo Diesel

277 2014 Ford Ranger PX XL 4WD
Manual 6 Speed Dual Cab Ute

Kms Indicated: 200,163, No. of
Seats: 5, Build Date: 05/2014,
Compliance Date: 06/2014

278 2011 Ford Ranger PX XL 4WD,
Manual 5 Speed Dual Cab Ute

Kms Indicated: 91,842, No. of
Seats: 5, Build Date: 03/2011,
Compliance Date: 04/2011

279 2012 Nissan Navara 4X4 RX D40
Turbo Diesel Automatic Ute

Body Type: Ute, No. of Seats: 4,
Build Date: 2012-11, Compliance
Date: 2013-01, No. of Cylinders: 4,
Engine Capacity: 2.5, Fuel Type:
Diesel, Drive Type: Selectable
4WD, Transmission: Automatic,
Indicated Odometer Reading:
153,439, Exterior Colour: White,
Interior Colour: Grey

280 2014 Mitsubishi Triton DI-D
Common Rail MN GLX Automatic
Dual Cab Ute

Body Type: Dual Cab Ute, No. of
Seats: 5, Compliance Date:
07/2014, VIN:
MMAJRKA40FD011699, Kms
Indicated: 175,908, No. of
Cylinders: 4, Engine Capacity:
2.5L, Fuel Type: Turbo Diesel,
Transmission: Automatic

281 2006 BMW E90 320i Sedan,

Automatic Transmission, Electric
Windows, Alloy Wheels,
256,354Km Indicated, 4 Cylinder
Petrol Engine, Electric Windows &
Mirrors, Brake Level Warning
Light on

282 1998 Audi A3 3 Door Hatchback

Automatic Transmission, 5V
Petrol Engine, 178892Km
Indicated, Airbag Light on, Sun
Roof

283 2013 All Roads Side Tipping Trailer

ATM: 40 Ton, Tri Axle, 8 metre
Bin, Tarpaulin

284 1993 Ostermeyer Side Tipping
Trailer

Tri Axle, Ringfeder, Airbag
Suspension, Spare Wheel Carrier

285 1991 Ostermeyer Side Tipping Trailer

Tri Axle, Ringfeder, Spring Suspension, Spare Wheel Carrier

286 2003 AZMEB Triaxle A- Trailer Side Tipper

Spring Suspension, ATM: 45 Ton, Tri Axle

287 2003 AZMEB B Trailer Side Tipper

ATM: 45 Ton, Ringfeder, Spring Suspension

288 Drake Low Loader, & Single Axle Dolly, 9m Deck, No VIN Visible, Spider Rims, Ramps

289 Moore Trailers Tri Axle Dolly Trailer

290 2016 45ft Moore Trailers Drop Deck Trailer

Bi-Fold Ramps, Ramps Lay flat on deck for better fuel consumption, Container pins, Tool Boxes, Spare wheel Carriers, Suitable for Road Train / B-Double, ATM: 42500Kg

- 291** Haulmark 40ft Flat Top Trailer
Tri Axle, Tool Box, Spring Suspension
- 292** Fruehauf 13m Flat Deck Extendable Tri Axle Trailer
Comes with Spare Tyre
- 293** Tandem Axle 10m Flat Top Trailer
Fitted with Ringfeder, Wooden deck, Spare Wheel Carrier, No VIN Visible
- 294** 1985 Freightler 40ft Flat Top Trailer
Tool Box, Tri-Axle, Spring Suspension
- 295** 40ft Accommodation Block
4 Individual Rooms, with Aircons, Some Fridges, Beds etc., External Walkway
- 296** 2017 TEFCO Single Axle Tag Trailer
ATM: 9000Kg, Ramps, Fitted with Air Brakes, Spare Wheel, Tool Box, 5500mm Deck
- 297** Heavy Duty Plant Trailer
Tandem Axle, Deck Size: 1950mm x 4500mm, Tare: 1640Kg, GVM: 4400Kg, Ramps, Air Brakes, Jack Legs, VIN not fully visible

298 2017 Barford Tandem Axle
Tipping Dump Trailer

Length: 5m, Width: 2.47m,
Unladen Weight: 3500Kgs,
Maximum ATM Weight: 19500Kg

299 Premier Trailers Tandem Axle
Heavy Duty Trailer

ATM: 9000Kg, Air Brakes, Lunette
Ring Hitch, 4 x Jack Legs, Deck
Size: 1840mm x 5550mm

300 Tandem Axle Tilt Car Transporter
Trailer

Tray Size: 2030mm x 3650mm,
Comes with Jockey Wheel,
Battery, Hitch to suit 50mm Tow
Ball

301 Tipper Body With Tarpaulin

4500mm Long

302 Steel Truck Water Tank

5m long x 2.4m wide, Top fill with
rear spray bars, mounts to chassis

303 2018 Unused Portable Radial
Stacker Conveyor

Model: 3660, 900mm wide belt,
Conveyor is 60ft Long, Belt Speed:
1.6m per second, Comes with
Electric Motor

304 2007 Nifty Lift 34ft Tow Behind
Boom Lift

Model: 120TPE, ATM: 1450Kg,
Hydraulic Stabilizers, Honda
Petrol Engine, Emergency Stop,
586 Hours Indicated

305 2007 JLG 66ft Straight Boom Lift

Model: 660SJ, 1918 Hours
Indicated, Battery Isolator,
Emergency Stop, 13464Kg
Operating Weight, Deutz Diesel
Engine

306 2003 JLG 51ft Knuckle Boom Lift

Model: 510AJ, 4894 Hours
Indicated, Date of 10 Year Major
Inspection: 1/11/2013, Battery
Isolator, Emergency Stop, Deutz
Diesel Engine

307 2008 Genie 45ft Knuckle Boom
Lift

Model: Z45/25, Hours Indicated:
3099, Kubota Diesel Engine,
Operating Weight: 6514Kg,
Maximum Platform Height: 46ft 2
Inches, Serial No: Z452508A-
35809

308 Genie 43ft Rough Terrain Scissor Lift

Model: GS-4390, Date of Commission: 09/10/09, Kubota Diesel Engine, Hydraulic Outriggers, 1299 Hours Indicated, Battery Isolator

309 Genie 26ft Rough Terrain Scissor Lift

Model: GS-2668, Date of 10 Year Inspection Completed in 18/03/14, Kubota 3 Cylinder Diesel Engine, 3418 Hours Indicated

310 Snorkel 2646 26ft Scissor Lift

385 Hours Indicated, Battery Isolator, Emergency Stop, YOM: 2009, Operating Weight: 2350Kgs

311 2004 Genie 20ft Electric Scissor Lift

Model: GS2032, 693 Hours Indicated, Battery Isolator, Emergency Stop, Date of 10 Year Major Inspection: 18/03/2015

312 2008 Genie 19ft Electric Scissor Lift

Model: GS1932, 528 Hours Indicated, Emergency Stop

313 2008 Haulotte 20ft Electric Scissor Lift

Model: COMPACT 8, 440 Hours Indicated, Emergency Stop

314 Unused 68000 Litre Bunded Fuel Storage Cell

40ft Containerized Fuel cell, Safe Fill: 63970 Litres, Model: ITR-68, Comes with Pump, Fire-safe Flanged Ball Valve, Non Return Valve, Over-fill protection with mechanical shut off, High Level Alarm, Anti Syphon Valve, Air Breather Vents, 2 x Dip Sticks, This tank is built to AS1692-2006 & AS 1657-1992, Tank is Self Bunded with Secondary Containment, This tank is to be installed in accordance with AS1940-2004 & AS1657-1992. TARE: 11200Kg

315 Unused 2018 30000 Litre Bunded Fuel Cell

Dimensions: 6.058m L x 2.438m wide x 2.896m high, fitted with 240V Pump with security pin pad, Flow Rate: 55 Litres Per Minute, Access ladder, outer wall - 6mm Steel, inner wall 6mm Steel, Safe Fill 27450 Litres, TARE: 7520 Kgs, Containerized for easy transportation, Serial No: EXEQ 3000016

316 2018 Unused 9000 Litre Diesel Tank

Model: TF9/50, Capacity 8995 Litres, With Electric Pump, Spill Tray, access step, lockable cabinet for pump & meter, Shipping Dimensions: 2110mm wide x 3900mm long x 2300mm high, with lifting point, Made in Italy

317 2018 Unused 40ft High Cube Side Opening Container

4 side doors on one side, Container no: LYP0002194 , Date of manufacture: 04/2018, TARE: 4260 Kgs, Comes with CSC plate, next maintenance inspection due: 06/2023

318 2018 Unused 40ft High Cube Side Opening Container

4 side doors on one side,
Container no: LYP0002168,
Date of manufacture: 04/2018,
TARE: 4260 Kgs, comes with CSC
plate, next maintenance
inspection due: 06/2023

319 20ft Shipping Container

Container No: FUKU20990562

320 6m x 3m Portable Building

Comes with Air Con Unit, 1 x Door,
2 x Windows, Light, Various Power
Outlets

321 4.8m x 2.4m Portable Building

Comes with Air Con Recess, 1
Door, 2 x Windows, various power
points, Light

322 Unused 2018 Accommodation &
Shower / Toilet Block Unit

Comes with Bed, Wardrobe, fitted
with Shower, toilet, sink, mirror,
Hot & Cold water inlets, 2 waste
outlets, Fork Pockets, Light,
Exhaust fan vent, 2 x windows

WELS Registration Number:
S10034, Efficiency Star Rating: 3,
Water Consumption 7.5 L, Toilet
WELS Registration Number:
LM04671, Efficiency Star Rating
4, Water Consumption Full Flush
4.5L / Half Flush 3, Unit Weight:
1350Kg, Approximate Dimensions
3.95m long x 2.2m wide

323 2018 Unused Ablution / Toilet Block, Quality Finish

Fitted with Shower, toilet, sink, mirror, lockable door, Hot & Cold water inlets, 2 waste outlets, Fork Pockets, Light, Exhaust fan vent, 1 x window, Dimensions: 2160mm Wide x 1900mm Long x 2400mm High, Approximate weight: 880kg, Shower WELS Registration Number: S10034, Efficiency Star rating: 3, Water Consumption 7.5L, Toilet WELS Registration Number: LM04671, Efficiency Star Rating 4, Water Consumption Full Flush 4.5L / Half Flush 3

324 Unused Double Toilet Blocks

2 x Separate Cubicles, with sink, Toilet, Extractor fan & lights, WELS Registration Number: LM04671, Efficiency Star Rating 4, Water Consumption Full Flush 4.5L / Half Flush 3

325 Unused Single Portable toilet, Requires assembly, some damage on item

326 Unused Single Portable toilet, Requires assembly, some damage on item

327 Unused Single Portable toilet, Requires assembly, some damage on item

328 Unused Single Portable toilet, Requires assembly, some damage on item

329 2018 Unused 9ft Container, with Side Door & Window, Container No: DFC9FT-352, with Fork Pockets

330 2018 Unused 8ft Container, with Side Door & Window, Container No: DFC8FT-354, with Fork Pockets

331 2018 Unused 8ft Container, Container Number: VSLU801860, Tare: 900Kg, With Fork Pockets, 2430mm x 2020mm

332 2018 Unused Heavy Duty 40ft Container Shelter with End Wall

Model: C4040E, 40ft wide x 40ft long x 15ft High, Heavy duty PVC fabric, Galvanised tube frame, Box Dimensions: 720mm wide x 1250mm high x 2800mm long, approximate weight 1200kg

333 2018 Unused Heavy Duty 40ft Container Shelter with End Wall

Model: C4040E, 40ft wide x 40ft long x 15ft High, Heavy duty PVC fabric, Galvanised tube frame, Box Dimensions: 720mm wide x 1250mm high x 2800mm long, approximate weight 1200kg

334 2018 Unused Heavy Duty 40ft Container Shelter

Model: C4040, 40ft wide x 40ft long x 15ft High, Heavy duty PVC fabric, Galvanised tube frame, Box Dimensions: 750mm wide x 1150mm high x 2450mm long, approximate weight 900kg

335 2018 Unused Heavy Duty 40ft Container Shelter

Model: C4040, 40ft wide x 40ft long x 15ft High, Heavy duty PVC fabric, Galvanised tube frame, Box Dimensions: 750mm wide x 1150mm high x 2450mm long, Approximate weight 900kg

336 2018 Unused Heavy Duty 40ft Container Shelter with End Wall, 20ft Wide

Model: C2040E, 20ft wide x 40ft long x 6ft 6in High, Includes frame & tarp, Heavy Duty PVC fabric, Galvanised tube frame, Box Dimensions: 740mm wide x 610mm high x 1920mm long, Approximate weight 400kg

337 2018 Unused Heavy Duty 40ft Container Shelter with End Wall, 20ft Wide

Model: C2040E, 20ft wide x 40ft long x 6ft 6in High, Includes frame & tarp, Heavy Duty PVC fabric, Galvanised tube frame, Box Dimensions: 740mm wide x 610mm high x 1920mm long, Approximate weight 400kg

338 2018 Unused Heavy Duty 40ft Container Shelter

Model: C2040, 20ft wide, No end wall, 40ft long x 6ft 6in High, Heavy duty PVC fabric, Galvanised tube frame, Box Dimensions: 740mm wide x 540mm high x 1920mm long, Approximate weight 340kg

339 2018 Unused Heavy Duty 40ft Container Shelter

Model: C2040, 20ft wide, No end wall, 40ft long x 6ft 6in High, Heavy duty PVC fabric, Galvanised tube frame, Box Dimensions: 740mm wide x 540mm high x 1920mm long, Approximate weight 340kg

340 2018 Unused Heavy Duty 20ft Container Shelter with End Wall

Model: C2020E, 20ft wide x 20ft long x 6ft 6in high, Twist lock rails, Heavy Duty PVC fabric, Box Dimensions 750mm wide x 360mm High x 1920mm Long, Approximate weight 240kg

341 2018 Unused Heavy Duty 20ft Container Shelter

Model: C2020, 20ft wide x 20ft long x 6ft 6in high, twist lock rails, Heavy Duty PVC fabric, Shipping Dimensions: 740mm wide x 320mm High x 1920mm Long, Approximate weight 220kg

342 2018 Unused 6m x 6m Enclosed Horse/Cattle Pen,

Heavy Duty 650g per square metre PVC fabric, Galvanised steel tubing, Height at peak 3.7m, Side panels with shade netting for extra ventilation, 2m x 2.1m entrance gate, Box Dimensions: 1110mm wide x 1220mm high x 2600mm long, Approximate weight per box 800kg

343 Unused 30ft Ground Mounted Temporary Storage Building,

20ft wide, heavy duty tarp, Green Box, Shipping Dimensions: 2180mm long x 740mm wide x 510mm high, Weight 380kg

344 2018 Unused 40 Drawer Work Bench Cabinet

New 3 part sliding drawer system, lockable drawers - various sizes, Rubber matting inside drawers, comes with castors, hanging hooks, Side handles, Shipping Dimensions: 2850mm long x 700mm wide x 2030mm high, Weighs Approximately 525kg

345 2018 Unused 40 Drawer Work Bench Cabinet

New 3 part sliding drawer system, lockable drawers - various sizes, Rubber matting inside drawers, comes with castors, hanging hooks, Side handles, Shipping Dimensions: 2850mm long x 700mm wide x 2030mm high, Weighs Approximately 525kg

346 2018 Unused Large Work Bench

With 12 drawers & 2 large storage cabinets, 50kgs Capacity per drawer, Dimensions: 2870mm Long x 670mm wide x 1000mm high

347 2018 Unused Large Work Bench

With 12 drawers & 2 large storage cabinets, 50kgs Capacity per drawer, Dimensions: 2870mm Long x 670mm wide x 1000mm high

348 2018 Unused Workshop storage cabinet

With 16 Drawers, 4 large storage Compartments, 50Kgs capacity per drawer, Dimensions: 2200mm x 630mm 2050mm

349 2018 Unused Workshop storage cabinet

With 16 Drawers, 4 large storage Compartments, 50Kgs capacity per drawer, Dimensions: 2200mm x 630mm 2050mm

350 2018 Unused Workshop Bench

With 20 drawers, 50Kgs capacity per drawer, Dimensions: 2200mm Long x 630mm wide x 1000mm high

351 2018 Unused Workshop Bench

With 20 drawers, 50Kgs capacity per drawer, Dimensions: 2200mm Long x 630mm wide x 1000mm high

352 2018 Unused Workshop Bench

With 10 drawers & 2 large storage compartments, 50Kgs capacity per drawer, Dimensions: 2200mm Long x 630mm wide x 1000mm high

353 2018 Unused Workshop Bench

With 10 drawers & 2 large storage compartments, 50Kgs capacity per drawer, Dimensions: 2200mm Long x 630mm wide x 1000mm high

354 2018 Unused 3.5 Ft Work bench with 4 x Castor Wheels

Model: 3.5ft-10d-Type C, 10 Drawers, Side Handles, Keys and lock, foam lining for all drawers, New roller bearing drawer system, Shipping Dimension: 1130mm Wide x 650mm deep x 1120mm high, Weighs approximately 140 Kgs

355 2018 Unused Trencher Attachment for Skid Steer Loader

Digging Width: 200mm, Digging Depth: 900mm, Required flow: 50-75 L/Min

356 2018 Unused Trencher Attachment for Skid Steer Loader

Digging Width: 200mm, Digging Depth: 900mm, Required flow: 50-75 L/Min

357 AUGER TORQUE Digga Trencher Attachment

Model: MT900, Pressure Range:
45 - 75 Litre Per minute

358 2018 Unused 4 in 1 Skid Steer Loader Bucket, 2100mm wide

359 2018 Unused 4 in 1 Skid Steer Loader Bucket, 2100mm wide

360 2018 Unused Grapple to Suit Skid Steer, 1680mm wide, Operating Pressure: 17-21MPa, Dual Ram, Weight: 210Kgs

361 2018 Unused Grapple to Suit Skid Steer, 1680mm wide, Operating Pressure: 17-21MPa, Dual Ram, Weight: 210Kgs

362 2018 Unused Rock Grapple Bucket, to suit Skid Steer, 1828mm wide, Operating pressure: 17-21MPa, Dual Ram, Weight: 400Kgs

363 2018 Unused Rock Grapple Bucket, to suit Skid Steer, 1828mm wide, Operating pressure: 17-21MPa, Dual Ram, Weight: 400Kgs

- 364** 2018 Unused Auger Attachment to Suit Skid Steer Loader, required flow: 50-75 L/Min
- 365** 2018 Unused Auger Attachment to Suit Skid Steer Loader, required flow: 50-75 L/Min
- 366** Unused Hydraulic Levelling Blade, to Suit Skid Steer, 2200mm wide
- 367** Unused Hydraulic Levelling Blade, to Suit Skid Steer, 2200mm wide
- 368** Unused Brush Cutter, To suit Skid Steer, 1850mm wide
- 369** Unused Hydraulic Rotary Tiller, to suit Skid Steer, 1800mm wide
- 370** Unused 2018 1500mm Sieve / Riddle Bucket, To suit 20 - 25 Ton Excavator
- 371** Unused 2018 1350mm Sieve / Riddle Bucket, To suit 20 - 25 Ton Excavator
- 372** DIGGA Profiling Attachment, Model: CP-000102, to suit Skid Steer, 700mm Cutting Width, Maximum Flow: 132 LPM, Maximum Pressure: 240 Bar, weighs: 1089 Kgs

- 373** Norm Engineering Sweeper Attachment, to Suit Skid Steer, 1800mm wide
- 374** Norm Engineering Sweeper Attachment, to Suit Skid Steer, 1800mm wide, Missing Broom
- 375** 2350mm 4 in 1 Bucket, to Suit Loader / Telehandler
- 376** 2012 Ramtec Rotating Hydraulic Grab Attachment, Model: DG15R, Required Flow for cylinder: 80l/m, 35MPa, Required Flow for Rotation 30 L/min, 10 Mpa, 90mm Pins, 510 Centre to Centre, 355mm between the ears, to suit 25 - 40 Ton Excavator
- 377** 2018 Unused Hydraulic breaker, Model: HM150, to suit 2.5-4.5 Ton Excavators, comes with 1 x Chisel, 25-40 Litre per Minute Oil flow required, 120 Bar Pressure required
- 378** 2018 Unused Hydraulic breaker, Model: HM100, to suit 1.2-3.5 Excavators, comes with 1 x Chisel, 23-30 Litre per Minute Oil flow required, 100 Bar Pressure required
- 379** 4 x Unused 26.5-25 Earthmoving Tyres, Tubeless, E/L-3, PR: 28, to suit 22 inch rim

- 380** 4 x Unused 23.5-25 Earthmoving Tyres, Tubeless, E-3E, PR: 24, to suit 19.5 inch rim
- 381** 4 x Unused 20.5-25 Earthmoving Tyres, Tubeless, E-3E, PR: 20, to suit 17 inch rim
- 382** 4 x Unused 17.5-R25 Earthmoving Tyres, Tubeless, E-3E, PR: 20, Standard Rim 14``
- 383** Qty of 4 Unused 265/70R19.5 Truck / Low loader Tyres, Ply Rating 16, Load Range H, All Steel Radial, Plies: Side Wall 1 Steel, Tread 1 Steel + 3 Steel
- 384** Qty of 4 Unused 265/70R19.5 Truck / Low loader Tyres, Ply Rating 16, Load Range H, All Steel Radial, Plies: Side Wall 1 Steel, Tread 1 Steel + 3 Steel
- 385** Qty of 4 Unused 265/70R19.5 Truck / Low loader Tyres, Ply Rating 16, Load Range H, All Steel Radial, Plies: Side Wall 1 Steel, Tread 1 Steel + 3 Steel

- 386** Qty of 4 Unused 265/70R19.5 Truck / Low loader Tyres, Ply Rating 16, Load Range H, All Steel Radial, Plies: Side Wall 1 Steel, Tread 1 Steel + 3 Steel
- 387** Qty of 4 Unused 275/70R22.5 Truck / Trailer Tyres, Ply Rating 18, Radial Tubeless, Plies: Side Wall 1 Steel, Tread 1 Steel + 3 Steel
- 388** Qty of 4 Unused 275/70R22.5 Truck / Trailer Tyres, Ply Rating 18, Radial Tubeless, Plies: Side Wall 1 Steel, Tread 1 Steel + 3 Steel
- 389** Qty of 4 Unused 275/70R22.5 Truck / Trailer Tyres, Ply Rating 18, Radial Tubeless, Plies: Side Wall 1 Steel, Tread 1 Steel + 3 Steel
- 390** 1 x 2018 Unused 6 Cubic Metre Skip Bin, Heavy Duty Steel construction, 39mm diameter lifting pins, Overall Length: 3600mm x Overall Width ; 1500mm x Overall height: 1250mm, Approximate Weight : 500 Kgs
- 391** 1 x 2018 Unused 6 Cubic Metre Skip Bin, Heavy Duty Steel construction, 39mm diameter lifting pins, Overall Length: 3600mm x Overall Width ; 1500mm x Overall height: 1250mm, Approximate Weight : 500 Kgs

DRAFT

DRAFT

DRAFT